




Trafil[®] SINCE 1992

PLASTICS AT THEIR BEST

an all-Italian production





TIPS FOR USING



Hotel



nursery school



bathroom



home improvement



office



rest home



kitchen / industrial kitchen



decoration



design



architectural curved elements



toys



laboratory



nautical industry



hospital



pvc flooring and carpet



joints for tiles



waiting room



school



greenhouse



roofing



ecological



fire-resistant



lightweight



safety items



customized



water resistant



weather resistant



UV resistant



recyclable



energy saving



light transmitting and high brightness



It's a registered trademark of **Trafilplast** srl

Trafil

COMPANY

- 5 The highest respect of the life
- 6 Trafil, company images

HOME IMPROVEMENT AND TECHNICAL PROFILES

- 10 Colors
- 12 Finishing profile
- 15 Corner covers
- 18 Skirting boards
- 20 Multisystem
- 22 Multifunzione
- 24 Stair nosing profiles
- 25 Connector profiles
- 26 Shock-resistant corner cover
- 28 Flooring profile
- 29 Flexible skirting boards
- 34 Cove formers
- 36 Joints
- 38 Jolly profiles and strip profiles
- 40 Wall guard
- 41 Light switch finger plates
- 42 Polycarbonate sheets and roofing
- 44 Safe crystal
- 45 Safe mirrors
- 46 Synthetic glass
- 48 Multiuse PVC sheets
- 50 Multiuse polypropylene sheets

SAFETY

- 54 Radiator cover
- 56 Finger alert
- 57 Safe profiles
- 58 PVC wall protection
- 59 Wall protection with LED
- 60 Handrail, shock-absorbing buffer and lining strips


CUSTOM- MADE

- 66 Custom – made production
- 68 Displays units



The utmost respect for life

Our company works in the plastic market since 1992. We are specialized in extrusion and moulding for the constructing and furnishing industry. In addition to the wide range of items in our catalogue, we design and develop products on request for our customers. The quality is guaranteed and verified by qualified and specialized personnel. Flexibility and timeliness are our hallmarks.





Quality is the essence of competitiveness;
the environmental sustainability is the excellence.
All the production scraps are reused and incorporated
into the production cycle.



Always careful with the green engineering, we
employ photovoltaic installations in order to
realize a self-sufficient production, with a low
energy consumption.



Trafilplast products born in Osasio (Turin)
from a totally Italian production of the
highest quality.








Home improvement and technical profiles

COLORS

Standard, aluminium, stone, wood, embossed effects

expanded pvc



White (1) expanded PVC painting with wall paints

expanded pvc colors: **standard**

1	2	3	4	5	6	7	8	9
white	light grey	dark grey	black	yellow	red	green	light blue	ivory
10	11	12	13	14	15			
						NEW		
ash	iroko 29	cherry 31	mahogany 36	walnut 33	walnut 15			

expanded pvc colors: **wood**

1	2	3	4	5	6	7	8	9
pear	oak	cherry	doussié	olive root	light walnut	arte povera	dark walnut	wengé
						walnut		

expanded pvc colors: **embossed**

1	2	3	4	5
white	gray	ash	black	walnut

expanded pvc colors: **dignified colors**

1	2	3	4
white marble	brushed aluminium	brushed gold	opaque silver

flexible pvc profiles

flexible pvc colors: **standard**



rigid pvc profiles


rigid pvc colors: **standard**



Strips

Finishing Profiles


standard strip




flexible strip




flexible strip



rigid profile



flexible profile



18

ON REQUEST



STRIP 18

PVC strip 18 mm – thickness 2.5 mm
Pack: 150 meters – 3 meters bars
Minimum order: 1000 meters
Colors availables on request
Use: finishing profile for walls and floors
Code R1

18

FLEXIBLE



50 m



STRIP 18


PVC strip 18 mm – thickness 2 mm
50 meters rolls – pack: 200 meters
Minimum order: 1000 meters
Use: finishing profile for walls and floors
Code M27

28

FLEXIBLE



50 m



STRIP 28

PVC strip 28 mm – thickness 3 mm
50 meters rolls – pack: 200 meters
Minimum order: 1000 meters
Use: finishing profile for walls and floors
Code M13

18

ON REQUEST



FINISHING PROFILE

Rigid PVC finishing profile 18 mm – thickness 2 mm
Pack: 200 meters – 2 meters bars
Minimum order: 1000 meters
Use: finishing profile for walls and floors
Code R5

18

ON REQUEST



FINISHING PROFILE

Flexible PVC 18 mm – thickness 2 mm
Pack: 200 meters – 2 meters bars
Minimum order: 1000 meters
Use: finishing profile for walls
Code M28





14

STRIP 14


PVC strip 14 mm – thickness 4 mm

Pack: 100 meters – 2 meters bars

Minimum order (For colors out of stock): 1000 meters

Use: finishing profile

Code Z3



20

STRIP 20



PVC strip 20 mm – thickness 4.5 mm

Pack: 100 meters – 2 meters bars

Minimum order (For colors out of stock): 1000 meters

Use: finishing profile

Code Z4



20

STRIP 20


PVC strip 20 mm – thickness 4.5 mm

Pack: 100 meters – 2 meters bars

Minimum order (For colors out of stock): 1000 meters

Use: finishing profile

Code N1



20

STRIP 20


PVC strip 20 mm - thickness 4.5 mm

Pack: 100 meters – 2 meters bars

Minimum order (For colors out of stock): 1000 meters

Use: finishing profile

Code N1



20

STRIP 20


PVC strip 20 mm - thickness 4.5 mm

Pack: 100 meters – 2 meters bars

Minimum order (For colors out of stock): 1000 meters

Use: finishing profile

Code G4



flexible profile




18



ON REQUEST

FINISHING PROFILE

Flexible PVC 21 mm - thickness 4.5 mm
 Pack: 200 meters – 2 meters bars
 Minimum order: 1000 meters
 Use: finishing profile for walls
Code M34



flexible profile



25 MM



ON REQUEST

FINISHING PROFILE

Flexible PVC 25 mm - thickness 3.2 mm
 Pack: 200 meters – 2 meters bars
 Minimum order: 1000 meters
 Use: finishing profile for walls
Code M37



flexible profile



15x15



FINISHING PROFILE

Quarter Circular
 Flexible PVC mm 15x15x3000
 Pack: 90 meters – 3 meters bars
 40 meters – 2.5 meters roll
 Minimum order: 540 meters (for colors out of stock)
 Use: finishing profile
Code M35



flexible profile



10x10



FINISHING PROFILE

Quarter Circular
 Flexible PVC mm 10x10x3000
 Pack: 90 meters – 3 meters bars
 40 meters – 2.5 meters roll
 Minimum order: 540 meters (for colors out of stock)
 Use: finishing profile
Code M36



standard "U" profile




25x8



FINISHING

"U" PROFILE

"U" PVC profile
 Width 25 mm – height 8mm – thickness 1.5 mm
 2 meters bars
 Pack: 150 meters
 Minimum order: 1000 meters
 Colors availables on request
 Use: finishing profile
Code R2







STANDARD CORNER COVER
 Inside PVC corner cover 17x17 mm – thickness 3.5 mm
 Pack: 180 meters – 3 meters bars
 Minimum order (for colors out of stock): 1080 meters
 Use: finishing profile
Code Z6

Corner Cover

Finishing Profiles

standard corner cover



FLEXIBLE PVC CORNER COVER
 25x25 mm | thickness 1.5 mm
 Pack: 40 meters | 10 meters roll
 Minimum order (for colours out of stock): 1000 meters
 Use: protection and finishing of the corners
 Fits for all surfaces
Code M42




Corner Cover


Protection and finishing profiles

Flexible pvc corner cover

NEW





ON REQUEST



"L" PROFILE
 Rigid PVC 30x20 mm – thickness 1 mm
 Pack: 200 meters – 2 meters bars
 Minimum order: 1000 meters
 Use: protection profile
Code R6

rigid "L" profile



ON REQUEST



STANDARD CORNER COVER
 Rigid PVC 30x30 mm – thickness 1 mm
 Pack: 240 meters – 3 meters bars
 Minimum order: 1080 meters
Code R7

STANDARD CORNER COVER
 Rigid PVC 50x50 mm – thickness 3 mm
 Pack: 30 meters – 3 meters bars
 Stock item: only White (2)
 Use: protection profile
Code R10

standard corner cover




Corner cover

Finishing and protection Profiles


standard corner cover



Colors range for expanded PVC



on request



CHEAP

STANDARD CORNER COVER

Smooth PVC corner cover 24x24 mm – thickness 2.5 mm
Pack: 180 meters – 3 meters bars
Minimum order (for colors out of stock): 1080 meters
Code Z2

Smooth PVC corner cover 30x30 mm – thickness 3.5 mm
Pack: 150 meters – 3 meters bars
Minimum order (for colors out of stock): 1080 meters
Code Z8

Smooth PVC corner cover 50x50 mm – thickness 3 mm
Pack: 90 meters – 3 meters bars
Minimum order (for colors out of stock): 1080 meters
Code Z15
Use: protection and finishing profile


baroque corner cover



Colors range for expanded PVC



on request



CHEAP



BAROQUE CORNER COVER


PVC corner cover 22x22 mm – thickness 2.5 mm
Pack: 180 meters – 3 meters bars
Minimum order (for colors out of stock): 1080 meters
Use: protection and finishing profile
Code Z5

crystal corner cover

NEW



CRYSTAL




FINISHING



STANDARD CORNER COVER

Rigid PVC corner cover 50x50 mm
thickness 3 mm
Pack: 30 meters – 3 meters bars
Use: protection and finishing profile.
It is recommended to use a transparent
adhesive tape for PVC or mechanical
fastening by transparent screws.
Code R10 CRYSTAL

CHEAP



WOOD CORNER COVER

Smooth PVC corner cover 24x24 mm
thickness 2.5 mm

Pack: 180 meters – 3 meters bars

Code N6

Smooth PVC corner cover 30x30 mm
thickness 3.5 mm


Pack: 150 meters – 3 meters bars

Code N4

Use: protection and finishing profile



aluminium, stone corner cover



CHEAP

ALUMINIUM, STONE CORNER COVER

Smooth PVC corner cover 24x24 mm – thickness 2.5 mm

Pack: 180 meters – 3 meters bars



Code N6

Smooth PVC corner cover 30x30 mm – thickness 3.5 mm

Pack: 150 meters – 3 meters bars

Code N4

Use: protection and finishing profile



EMBOSSSED CORNER COVER

Smooth PVC corner cover 24x24 mm
thickness 2.5 mm – Pack: 180 meters – 3 meters bars

Code G2

Smooth PVC corner cover 30x30 mm – thickness 3.5 mm

Pack: 150 meters – 3 meters bars

Code G8

Use: protection and finishing profile

CHEAP

embossed
corner cover




Skirting boards

Protection and finishing profiles

standard skirting board



colors range for expanded PVC




CHEAP

STANDARD SKIRTING BOARD

65 PVC Skirting board
 Height 65 mm – width base 5 mm – thickness 3 mm
 Pack: 200 meters – 2 meters bars
 Minimum order (for colors out of stock): 800 meters
 Use: plinth
Code Z1



standard skirting board



colors range for expanded PVC




CHEAP

STANDARD SKIRTING BOARD

PVC Skirting board 75
 Height 75 mm – width base 10 mm – thickness 3 mm
 Pack: 160 meters – 2 meters bars
 Minimum order (for colors out of stock): 800 meters
 Use: plinth
Code Z9



standard skirting board



colors range for expanded PVC



CHEAP

HIGH PERFORMANCE

STANDARD SKIRTING BOARD

PVC Skirting board 70
 Height 70 mm – width base 7 mm – thickness 2 mm
 Pack: 200 meters – 2 meters bars
 Use: plinth
Code Z7



aluminium, stone skirting board



70



CHEAP


HIGH PERFORMANCE

ALUMINIUM, STONE SKIRTING BOARD

PVC Skirting board 70
 Height 70 mm – width base 7 mm – thickness 2 mm
 Pack: 200 meters – 2 meters bars
 Use: plinth
Code N3

70

7



70



CHEAP

HIGH PERFORMANCE

ALUMINIUM, STONE SKIRTING BOARD

PVC Skirting board 70
 Height 70 mm
 Width base 7 mm
 Thickness 2 mm
 Pack: 200 meters
 2 meters bars
 Use: plinth
Code N3

70

7



wood skirting board



70



CHEAP

HIGH PERFORMANCE

EMBOSSED SKIRTING BOARD

PVC Skirting board 70
 Height 70 mm
 Width base 7 mm
 Thickness 2 mm
 Pack: 200 meters
 2 meters bars
 Use: plinth
Code G7

70

7


embossed skirting board



Multisystem skirting board

Multisystem protection and finishing profiles

standard Multisystem



70



MULTIFUNCTIONAL

CHEAP

HIGH PERFORMANCE

MULTISYSTEM SKIRTING BOARD

PVC Multisystem skirting board
Height 70 mm – width base 12 mm – thickness 3mm
Pack: 50 meters – 2 meters bars
Use: cable feed-through base. It can be used also on pre-finished floors thanks to its base width.

Application informations:



- 1) with special clips
- 2) with special glue for PVC

Code Z13

70

12

aluminium, stone, wood Multisystem



70



MULTIFUNCTIONAL

CHEAP

HIGH PERFORMANCE

MULTISYSTEM SKIRTING BOARD

PVC Multisystem skirting board
Height 70 mm – width base 12 mm – thickness 3 mm
Pack: 50 meters – 2 meters bars
Use: cable feed-through base. It can be used also on pre-finished floors thanks to its base width.

Application informations:

- 1) with special clips
- 2) with special glue for PVC

Code N5

70

12

embossed Multisystem



70



MULTI-PURPOSE

CHEAP

HIGH-PERFORMANCE

MULTISYSTEM SKIRTING BOARD

PVC Multisystem skirting board
Height 70 mm – width base 12 mm – thickness 3mm
Pack: 50 meters – 2 meters bars
Use: cable feed-through base. It can be used also on pre-finished floors thanks to its base width.


Application informations:

- 1) with special clips
- 2) with special glue for PVC

Code G13

70

12



FLEXIBLE

EASY TO INSTALL

WATER RESISTANT

INCLUDED ACCESSORIES

MADE IN ITALY



H 70 mm



Accessories for Multisystem

Multisystem **fastening**



recommended

ACCESSORIES



FASTENING WITH CLIPS

Pack: pack of 20 and 100 pieces
Use: fastening system cable feed-through base
Code PC20 Pack: 20 pieces
Code PC100 Pack: 100 pieces

Multisystem **joints**



ACCESSORIES

KIT MULTISYSTEM ACCESSORIES

10 pieces pack contains:
1 right terminal
1 left terminal
4 internal angles
2 external angles
2 joints
Code PCA

JOINT PG10, PG100
EXTERNAL ANGLE PAE10, PAE100
INTERNAL ANGLE PAI10, PAI100
RIGHT TERMINAL PTDX10, PTDX100
LEFT TERMINAL PTSX10, PTSX100
Pack: 10, 100 pieces

Multi-purpose **adhesive**

ACCESSORY




ADHESIVE FOR EXPANDED PVC

Multi-purpose thixotropic adhesive paste
Pack: 310 ml
Use: fastening system cable feed-through base
Code TAK02

Multifunzione skirting board

Multifunction protection profiles

NEW



Multifunzione **classic | metal | wood**



MULTIFUNZIONE CLASSIC | METAL | WOOD

PVC Multi-function skirting board
 High: 55 mm | base width: 26 mm
 Thickness: 1 mm
 Pack: 50 meters | 2,5 meters bar
 Use: trough cable skirting board. It can be used also on pre-finished floors thanks to its base width.
Code: MF55

- | | | | | | | | | | |
|------------------|--------------|--------------|----------------|--------------------|------------|-------------------|---------------------|---------------------|--------------|
| 106
aluminium | 101
white | 14
cherry | 48
gold oak | 08
light walnut | 45
gray | 19
dark walnut | 104
oak sardinia | 47
liverpool oak | 107
black |
| | | | | | | | | | |

Colors range for PVC

Multifunzione accessories



ACCESSORIES

kit **led**

- MULTIFUNCTION
- HIGH PERFORMANCE
- EASY INSTALLATION
- Trafilplast patent



Available in 2.5 and 5 meters strips led
Code: KL\2.5 – KL\5

Aluminium "U" profile
2.5 meters



Opal finishing profile
2.5 meters



Strip led
2.5 meters natural light



Power supply 12V 1A
5 meters

Connector




ACCESSORIES

Multifunzione joints

- KIT MULTIFUNZIONE ACCESSORIES**
10 pieces pack contains:
1 right terminal
1 left terminal
4 internal angles
2 external angles
2 joints
Code MFA



Colors range for PVC



Internal Angle

External Angle

Left terminal


Right terminal

Joints

Protection profiles

stair nosing profile

NEW




HIGH-PERFORMANCE

FLEXIBLE




STAIR NOSING PROFILE

Flexible PVC Stair nosing profile
Width 44 mm – height 35 mm
2 meters bars
Pack: 60 meters
Minimum order
(for colors out of stock): 540 meters
Use: non-slip and step protection
Code M40



stair nosing profile

NEW




HIGH-PERFORMANCE

FLEXIBLE



STAIR NOSING PROFILE

Flexible PVC Stair nosing profile
Width 60 mm – height 40 mm
2 meters bars
Pack: 60 meters
Minimum order
(for colors out of stock): 500 meters
Use: non-slip and step protection
Code M41



stair nosing profile




HIGH-PERFORMANCE

FLEXIBLE




STAIR NOSING PROFILE

Flexible PVC Stair nosing profile
Width 55 mm – height 40 mm
10 and 30 meters rolls – 2 meters bars
Pack: 60 meters
Minimum order (for colors out of stock): 500 meters
Use: non-slip and step protection
Code M2
Code M2-10



FLEXIBLE

HIGH-PERFORMANCE



CONNECTOR PROFILE

Flexible PVC

Width 46 mm - height 7 mm

Pack: 100 meters - 2 meters bars

Minimum order: 500 metri

Use: connection for doormats and floors

Codice articolo: M46

connector profile

NEW



Colors range for expanded PVC

FLEXIBLE

HIGH-PERFORMANCE



CONNECTOR PROFILE

Flexible PVC

Width 35 mm - height 7 mm

Pack: 100 meters - 2 meters bars


Minimum order: 500 metri

Use: connection for doormats and floors

Code M45

connector profile


NEW



Colors range for expanded PVC

HIGH-PERFORMANCE

FLEXIBLE



CONNECTOR PROFILE

Flexible PVC

Width 63 mm

height 10 mm

Pack: 45 meters - 15 meters rolls | 40 meters - 2 meters bars

Minimum order (for colors out of stock): 500 meters


Stock item: black color

Use: connection for doormats and floors

Code M9R Rolls

Code M9B Bars

connector profile



Colors range for expanded PVC

on request



shock resistant **corner cover**

HIGH-PERFORMANCE



FLEXIBLE

2 m

SHOCK RESISTANT CORNER COVER

Flexible PVC wall protection corner cover 35x35 mm


Thickness 3 mm - 2 meters bars

Pack: 50 meters

Use: tube and rounded angle are effective corner protections

Recommended applications: schools, kindergartens, hospitals, public places and wherever it is necessary to prevent work injuries

Code M12



NEW



ACCESSORY

cap

for shock resistant corner cover



Semitransparent PVC
Code cap M12T



Shock resistant corner cover



customizable with




VANILLA FRAGRANCE






shock resistant **corner cover**



- SHOCK RESISTANT**
- VERSATILE**
- FLEXIBLE**

NEW



SHOCK RESISTANT CORNER COVER
 Flexible PVC wall protection corner cover
 25x25 mm - Thickness 1 mm - 1 meter bars
 Pack: 10 meters
 Use: tube and rounded angle
 are effective corner protections
 Recommended applications: schools, kindergartens,
 hospitals, public places and wherever it is necessary
 to prevent work injuries
Code AV02

Colors range for expanded PVC 1 13
 transparent



Flooring profile

Flooring profile

NEW



colors range for flexible PVC


FLEXIBLE

HIGH-PERFORMANCE



4

43



FLOORING PROFILE

Flexible PVC flooring profile 43 mm
 Thickness 4 mm | 900 mm bars – Pack: 10 pieces
 Minimum order: 450 meters
 Use: ideal for two different flooring
Code: M43

Flooring profile

NEW



colors range for flexible PVC

FLEXIBLE

HIGH-PERFORMANCE



5

40



FLOORING PROFILE

Flexible PVC flooring profile 40 mm
 Thickness 3 mm | 900 mm bars – Pack: 10 pieces
 Minimum order: 540 meters
 Use: ideal for two different flooring
Code: M44



The special consistency and flexibility of the material make it suitable for all surfaces. It is easy to cut and place.



Flexible Skirting Boards

Protection and finishing profiles

It is recommended

- to use a double-spread glue for flexible PVC
- keep warm ($\approx 18^{\circ}\text{C}$) 24 hours before using



FLEXIBLE

10 m
50 m

HIGH-PERFORMANCE

60+12,5

60

12.5

STANDARD SKIRTING BOARD

Flexible PVC Skirting board

Height 60 mm – width 12.5 mm – thickness 1.5 mm

Use: plinth

Code M6

Code M6: 50 meters rolls – Pack: 100 meters

Code M6-10: 10 meters rolls – Pack: 40 meters

10 meters rolls are available in the following colours:



FLEXIBLE

10 m
50 m

HIGH-PERFORMANCE

75+15

75

15

STANDARD SKIRTING BOARD

Flexible PVC Skirting board

Height 75 mm – width 15 mm – thickness 1.8 mm

Use: plinth

Code M1 50 meters rolls

Pack: 100 meters

Code M1: 50 meters rolls – Pack: 100 meters

Code M1-10: 10 meters rolls – Pack: 40 meters

10 meters rolls are available in the following colours:



FLEXIBLE

50 m

HIGH-PERFORMANCE

80+15

80

15

STANDARD SKIRTING BOARD

Flexible PVC Skirting board

Height 80 mm – width 15 mm – thickness 2 mm

50 meters rolls

Pack: 100 meters

Use: plinth

Code M7




Flexible Skirting Boards

Protection and finishing profiles



standard skirting board



70+5



FLEXIBLE 50 m

ON REQUEST

HIGH-PERFORMANCE


STANDARD SKIRTING BOARD

Flexible PVC Skirting board
 Height 70 mm – width 5 mm – thickness 1.8 mm
 Pack: 100 meters | 50 meters rolls
 Minimum order: 500 meters knurled back
 Use: plinth
Code M16

standard skirting board



70+7



FLEXIBLE 50 m

ON REQUEST

HIGH-PERFORMANCE


STANDARD SKIRTING BOARD

Flexible PVC Skirting board
 Height 70 mm – width 7 mm – thickness 1.8 mm
 50 meters rolls
 Minimum order: 500 meters
 Use: plinth
Code M15

standard skirting board



90+7



FLEXIBLE 50 m

ON REQUEST

HIGH-PERFORMANCE

STANDARD SKIRTING BOARD

Flexible PVC Skirting board
 Height 90 mm – width 7 mm – thickness 1.8 mm
 50 meters rolls
 Minimum order: 500 meters knurled back
 Use: plinth
Code M17

standard skirting board



50 m **FLEXIBLE**

ON REQUEST

HIGH-PERFORMANCE

STANDARD SKIRTING BOARD

Flexible PVC skirting board
Knurled back


Height 110 mm – width 7 mm – thickness 1.8 mm

50 meters rolls

Minimum order: 500 meters

Use: plinth

Code M18



standard skirting board



FLEXIBLE

ON REQUEST

HIGH-PERFORMANCE

WELDABLE SHELLED SKIRTING BOARD


Flexible PVC weldable shelled skirting board

Height 75 mm – width 35 mm – thickness 3 mm

Minimum order: 200 meters - 2 meters bars

Use: plinth

Code M19



standard skirting board



FLEXIBLE

ON REQUEST

HIGH-PERFORMANCE

WELDABLE SHELLED SKIRTING BOARD

Flexible PVC weldable shelled skirting board

Zero finish for installation directly on floor


Knurled back

Height 100 mm – width 30 mm – thickness 3 mm


Minimum order: 200 meters - 2 meters bars

Use: plinth


Code M20



standard skirting board



90+45



FLEXIBLE



25 m — 2 m

HIGH-PERFORMANCE

WELDABLE SHELLS SKIRTING BOARD

Flexible PVC weldable shelled skirting board
Knurled back


Height 90 mm – width 45 mm – thickness 3 mm

Minimum order: 200 meters - 2 meters bars – 25 meters rolls


Use: plinth

Code M21

standard skirting board



97+18



FLEXIBLE



40 m — 2 m

HIGH-PERFORMANCE

WELDABLE SHELLS SKIRTING BOARD

Flexible PVC weldable shelled skirting board
Knurled back

Height 97 mm – width 18 mm – thickness 2 mm

40 meters rolls – 2 meters bars

Minimum order: 200 meters


Use: plinth

Code M26

standard skirting board



90+18



FLEXIBLE



50 m — 2 m

HIGH-PERFORMANCE

WELDABLE SHELLS SKIRTING BOARD

Flexible PVC weldable shelled skirting board

Height 90 mm – width 18 mm – thickness 2 mm

Pack: 50 meters rolls – 2 meters bars

Minimum order: 200 meters

Use: plinth

Code M31



FLEXIBLE

ON REQUEST

HIGH-PERFORMANCE

WELDABLE SHELLED SKIRTING BOARD

Flexible PVC weldable shelled skirting board
 Height 70 mm – width 20 mm – thickness 2.5 mm
 Height 95 mm – width 25 mm – thickness 2.5 mm

Minimum order: 200 meters


Use: plinth

Code M32

Pack: 100 meters – 50 meters roll

Code M33

Pack: 50 meters – 50 meters roll



standard skirting board



shelled skirting board



FINISHING



WELDABLE SHELLED SKIRTING BOARD

Flexible PVC weldable shelled skirting board
 Height 100 mm – width 40 mm – Thickness 3 mm


Pack: 2 meters bars

Knurled back

Minimum order: 200 meters

Use: plinth

Code M39



subfloor



FLEXIBLE

HIGH-PERFORMANCE

SUBFLOOR

Flexible PVC subfloor
 Height 95 mm – width 30 mm

Thickness 2 mm

Internal portion from 3 to 5 mm

Pack: 50 meters – 2 meters bars

Knurled back


Minimum order: 200 meters

Use: shelled subfloor

Code M29-3

Code M29-4

Code M29-5



Cove formers

Sanitary PVC cove formers between two walls or between floor and wall



Use:

Perfect as a base for wall paneling and vinyl floors. Excellent also on existing floors; suitable for buildings which must be in compliance with sanitary regulations.


Recommended applications: hospital, food and chemical industry (butcheries, kitchens, laboratories, hospitals, bathrooms, etc.)

PVC cove formers **FLEXIBLE**

15x15



VERSATILE



PVC COVE FORMERS
Flexible PVC cove formers
15x15 mm – 2 meters bars
Minimum order: (for colors out of stock) 500 meters
Pack: 100 meters
Code M30



to seal shower box, sink, bathtub, etc.


PVC cove formers **FLEXIBLE**

20x20



10 m — 2 m


VERSATILE




PVC COVE FORMERS
Flexible PVC cove formers
20x20 mm
Pack: 100 meters
Minimum order:
(for colors out of stock) 500 meters
Code M10 2 meters bars
Code M10-10 10 meters rolls

PVC cove formers **FLEXIBLE**

32x32



VERSATILE



PVC COVE FORMERS
Flexible PVC cove formers
32x32 mm – 2 meters bars
Minimum order:
(for colors out of stock) 500 meters
Pack: 80 meters
Code M8


PVC cove formers **FLEXIBLE**

35x35



20 m

VERSATILE



PVC COVE FORMERS
Flexible PVC cove formers
35x35 mm – 2 meters bars
Minimum order:
(for colors out of stock) 500 meters
Pack: 80 meters - 20 meters rolls
Code M3



VERSATILE



PVC COVE FORMERS


Flexible PVC cove formers
40x40 mm | 2 meters bars
Pack: 40 meters

Minimum order: for colors out of stock 500 meters
Code M11

FLEXIBLE

40x40

PVC cove formers



colors range for flexible PVC




FINISHING

PVC COVE FORMERS


Rigid PVC cove formers
45x45 mm | length 2 meters
Pack: 20 meters

Colors available: white
Use: sanitary connector between walls or wall and floor; ideal for public places
Code RI 17

45x45



PVC cove formers



1 colors range for rigid PVC



FINISHING

PVC COVE FORMERS

Rigid PVC cove formers
20x20 mm with soft edges
Length 2.5 meters
Pack: 125 meters

Use: sanitary connector between walls or wall and floor; fit for public places
Code RI 8

20x20



PVC cove formers



1 colors range for rigid PVC




FINISHING

PVC COVE FORMERS

Rigid PVC cove formers
20x20 mm
Length 2.5 meters
Pack: 100 meters

Use: sanitary connector between walls or wall and floor; fit for public places
Code RI 9

20x20



PVC cove formers



1 colors range for rigid PVC


Sanitary connectors

Finishing profiles for tiles




FINISHING

PVC **cove formers**



FINISHING

PVC **cove formers**



Joints

For floor expansion

PVC **joints**



Colors availables:

Outside a. beige – Inside a. beige.

Outside light grey – Inside light grey.

Outside light grey – Inside transparent.

Outside dark grey – Inside transparent.

Use: expansion joint for glue laying.

Its purpose is to compensate the movements caused by floor expansion.



JOINT

Elastic joint for glue laying height 8x8 mm
length 2.50 meters | height useful 7 mm | Pack: 100 meters
Code RG1

Elastic joint for glue laying height 10x8 mm
length 2.50 meters | height useful 9 mm | Pack: 100 meters
Code RG2

Elastic joint for glue laying height 12x8 mm
length 2.50 meters | height useful 11 mm | Pack: 100 meters
Code RG3

Elastic joint for glue laying height 14x8 mm
length 2.50 meters | height useful 13 mm | Pack: 100 meters
Code RG4

8



SANITARY CONNECTOR

Rigid PVC Sanitary connector
Height 8 mm | length 2.70 meters
Pack: 108 meters

Code RI 1

Height 10 mm | length 2.70 meters
Pack: 108 meters

Code RI 2

Use: connector for internal corner,
fit for joining walls to the bathtub
or to shower tray

10



8



SANITARY CONNECTOR

Rigid PVC Sanitary connector
Height 8 mm | length 2.50 meters | Pack: 50 meters

Code RI 3

Height 10 mm | length 2.50 meters | Pack: 50 meters

Code RI 4

Height 12.5 mm | length 2.50 meters | Pack: 50 meters

Code RI 5

Use: sanitary connector between walls or wall and floor,
fit for public places

10



12.5



INTERNAL CORNER

For items RI3, RI4, RI5

Pack: 30 pieces

Use: internal corner for sanitary connector

Code RI 6

EXTERNAL CORNER

For items RI3, RI4, RI5

Pack: 30 pieces

Use: external corner for sanitary connector

Code RI 7





recommended applications:
Nautical and chemical industry,
hospital (butcher shops, kitchens,
laboratories, bathrooms, etc.)



Colors for jolly items and strips for ceramics

pastel colors

1	2	3	4	5	6	7	8	9
white	sky blue	green	sunny pink	ivory 2	beige a	ivory 3	ivory 4	light grey
10	11	12	13	14	15	16	17	18
dark grey	pink a	lilac	red	orange	blue	yellow	brown	black

marbled colors

1	2	3	4	5	6	7	8	9	10
light beige	yellow	St. Angelo beige	ivory travertine	mediter: beige	light cream	pink travertine	s. beige	o. beige travertine	mink
11	12	13	14	15	16	17	18	19	20
old rose	grey travertine	grey	navona	pink	sunny pink	nut brown travertine	niagara travertine.	beige travertine	green c 1
21	22	23	24	25	26	27	28	29	30
light green	green g.	green s.	light blue	blue	light grey	sky blue	lux grey	black	white



Profiles for ceramic coverings

marbled colors **jolly profiles**



JOLLY PROFILE
Rigid PVC Jolly profile
Height 6 mm | length 2.70 meters
Pack: 135 meters
Code J 6

JOLLY PROFILE
Rigid PVC Jolly profile
Height 8 mm | length 2.70 meters
Pack: 135 meters
Code J 8

JOLLY PROFILE
Rigid PVC Jolly profile
Height 10 mm | length 2.70 meters
Pack: 135 meters
Code J 10

JOLLY PROFILE
Rigid PVC Jolly profile
Height 12.5 mm | length 2.70 meters
Pack: 135 meters
Code J 12.5

JOLLY TOP PROFILE
Rigid PVC Jolly Top profile
Height: 8 mm
Pack: 50 pieces
Colour: white
Code JT 8

JOLLY TOP PROFILE
Rigid PVC Jolly Top profile
Height: 10 mm
Pack: 50 pieces
Colour: white
Code JT 10



VERSATILE


STRIP FOR CERAMICS
Rigid PVC Strip for ceramics
Height 8 mm or 10 mm | length 2,70 meters
Pack: 67,5 meters

Use: finishing profile for paneling.
These elements protect the terminal parts of the tiles and make them more resistant.
Use the same adhesive employed to place the ceramic.
Always choose a profile with the same thickness of the tile.

Code L8 - L10


pastel colors **jolly profiles**

VERSATILE



pastel colors / marbled colors strip for ceramics

8-10



Wall guard

Protection and wall finishing

transparent wall guard
smoke-grey wall guard





white wall guard
ivory wall guard



500X80

800X80

CHEAP



WALL GUARD 500X80

Height 80 mm | length 500 mm | thickness 4 mm

Pack: 50 pieces

Code 1B1 transparent, 1B2 white, 1B3 smoke-grey, 1B4 ivory

Code 1B1B transparent, packed separately with bar code.

WALL GUARD 800X80

Height 80 mm | length 800 mm | thickness 4 mm

Pack: 50 pieces

Code 1BS1 transparent, 1BS2 white, 1BS3 smoke-grey, 1BS4 ivory

Code 1BS1B transparent, packed separately with bar code.

The application is extremely simple: just drill a hole of Ø 5 mm. Put the screw anchor (supplied with the assembly kit) in the hole, carefully remove any dust from the wall using a cloth and finally apply the wall guard using its screws. The assembly kit is included in the package (screws and screws anchors).



transparent wall guard





CHEAP

customizable

measurements

1000X100

1000X200



WALLGUARD 1000X100

Height 100 mm – length 1000 mm

Thickness 2 mm

Pack: 50 pieces

Code 1BS10 transparent

WALLGUARD 1000X200

Height 200 mm | length 1000 mm |

Thickness 2 mm

Pack: 50 pieces

Code 1BS20 transparent

Use:

Wall guard are particularly suitable for use in homes, offices, waiting rooms and wherever walls are particularly exposed to possible damages. The transparent version is suitable for any type of furniture.





Light switch finger plates

Protection of wall



MAGIC TRANSPARENT



custom-made
decorations

Use:
Light switch finger plates are particularly suitable for use in homes, offices, waiting rooms and crowded public places. The transparent version is suitable for any type of furniture. The application is extremely simple: just put the light switch finger plate between the wall and the light switch cover without using glue or other fixing agents.



1L8 TRANSPARENT



1L9 IVORY



1L10 WHITE



1L11 SMOKE-GREY



1L12 FLUORESCENT

Light switch finger plates
magic model

MODEL MAGIC
Height 145 mm | width 180 mm | thickness 3 mm
Pack: 100 Pieces

Code 1L8 transparent, 1L9 ivory, 1L10 white, 1L11 smoke-grey, 1L12 fluorescent



1L1 TRANSPARENT



1L2 IVORY



1L3 WHITE



1L4 SMOKE-GREY



1L5 FLUORESCENT

Light switch finger plates
lux model

LUX MODEL
Height 145 mm | width 180 mm | thickness 3 mm
Pack: 100 Pieces

Code 1L1 transparent, 1L2 ivory, 1L3 white, 1L4 smoke-grey, 1L5 fluorescent

Polycarbonate

Transparency, thermal insulation and resistance

The polycarbonate is a techno-polymer with excellent features of transparency, thermal insulation and crash resistance. The particular multiwall structure of the sheets optimizes all these features and makes it suitable in residential and industrial building applications. The external side of Polycarbonate is coated with U.V. protection warranting resistance to aging due to atmospheric agents and UV rays.

Crystal **multiwall polycarbonate sheets**



MULTIWALL POLYCARBONATE SHEET

Technical features: linear thermal expansion: 0,065 mm/m °C

Temperature range: from -40 °C to +120 °C

U.V. Protection, fire reaction EuroClass Bs 1 d0

Use: roofing, windows, skylights, greenhouses, porches, gazebos, ceilings.

Drilling: the sheets can be drilled by means of standard helical bits for metal. Holes have to be distant at least 40 mm from the panel's edges; the diameters of the hole must be larger than its anchoring system in order to allow the natural expansion of the material. Consider the thermal expansion when installing (0.065 mm/m °C).

Cutting: use an alternative hacksaw, a band or a circular saw, with a fine-tooth blade or a cemented carbide blade.

Handling: avoid exposure to direct sunlight and rain to prevent any excessive build-up of heat in the packaging or the formation of condensation in the cells.

2 WALLS		3 WALLS	
4	6	10	16
Measurements: 1050x2000 mm	Measurements: 1050x2000 mm	Measurements: 1050x2000 mm	Measurements: 1050x2000 mm
Code: B\2138\7018D	Code: B\2123\7018D	Code: B\2125\7018A	Code: B\2161\7018A
Pack: 12 pcs	Pack: 12 pcs	Pack: 12 pcs	Pack: 12 pcs

ACCESSORIES

Accessories for placing are available and they make the products suitable for any situation:

"H" PROFILE in polycarbonate, for lateral coupling

"U" PROFILE in polycarbonate, for the closing of the alveoli

STELLONE, Universal washer in transparent polycarbonate

TIP TAP, closing profile for the alveoli

STELLONE



transparent



Pack: 10 pcs
Code: B\M\STELT

TIP TAP



transparent



Pack: 10 pcs
250 mm
thickness 6 mm
Code: B/M/TIP/6/T

Pack: 10 pcs
250 mm
thickness 10 mm
Code: B/M/TIP/10/T

"U" PROFILE



transparent



Pack: 50 pcs
2,1 meters bars – 6 mm
Code: B\1158
2,1 meters bars – 10 mm
Code: B\1160
2,1 meters bars – 16 mm
Code: B\1161

"H" PROFILE



transparent




Pack: 25 pcs
2 meters bars – 6 mm
Code: B\1162A
3 meters bars – 6 mm
Code: B\1162B
2 meters bars – 10 mm
Code: B\1164A
3 meters bars – 10 mm
Code: B\1164B
2 meters bars – 16 mm
Code: B\1165A
3 meters bars – 16 mm
Code: B\1165B



 **multiwall polycarbonate sheets**

	2 WALLS	2 WALLS	2 WALLS	2 WALLS
GREEN	10	OPAL	BRONZE	BLUE
				
				
Measurements: 1050x2000 mm Code: B\2125\8071A Pack: 12 pcs	Measurements: 1050x2000 mm Code: B\2125\5021A Pack: 12 pcs	Measurements: 1050x2000 mm Code: B\2125\5018A Pack: 12 pcs	Measurements: 1050x2000 mm Code:Pack: B2125\5018AB Pack: 12 pcs	



MULTIWALL POLYCARBONATE SHEETS
Perfect for external roofing

Roofing
onda system

 **Multiwall polycarbonate**



Technical features:
Linear thermal expansion: 0,065 mm/m °C
Temperature range: from -40 °C to 120 °C. Resistant to hail and bad weather, U.V. protection, fire reaction EuroClass Bs 1 d0.
Use: roofing, windows, greenhouses, porches, gazebos, ceilings.
Drilling and cutting: the sheets can be drilled by standard helical bits for metal. Holes have to be distant at least 40 mm from the panel's edges; the diameters of the hole must be larger than its anchoring system in order to allow the natural expansion of the material. Consider the thermal expansion when installing (0.065 mm/m °C).
 Use an alternative hacksaw, with blades specific for plastics or a circular saw with a cemented carbide blade.
Handling: Avoid exposure to direct sunlight and rain to prevent any excessive build-up of heat in the packaging or the formation of condensation in the cells. The U.V. protected side identified by a label, must be installed facing the exterior.

MULTIWALL POLYCARBONATE ONDA SYSTEM – CRYSTAL
 1000 X h 2000 | thickness 3 mm
 Pack: 10 pc
Code ONDA1000X2000X3



ACCESSORIES



GASKETS FOR APPLICATION
 PACK: 20 PCS
Code ROND/22



Safe crystal

Self-extinguishing, light and safe

Solid Polycarbonate sheets have excellent mechanical, thermal and electrical properties. They are flexible and shock resistant, they provide an higher thermal and acoustic insulation than common glass. The lightness (A solid polycarbonate sheet weighs 50% less than a sheet of glass of the same thickness) allows to reduce the weight in building applications. The advantages of solid polycarbonate sheets are: self-extinguishing, safety, lightness, light transmission, U.V. protection.



Safe crystal



 *custom-made*
(cuts to size)



MULTIFUNCTIONAL

ULTRA-LIGHT

CHEAP

SOLID POLYCARBONATE SHEET

Sheet 500x1000 | thickness 2-3-4-5 mm

Pack: 12 pcs

Code LCP2C500X1000

Sheet 1000x1000 | thickness 2-3-4-5 mm

Pack: 6 pcs

Code LCP2C1000X1000

Sheet 1000x1500 | thickness 2-3-4-5 mm

Pack: 4 pcs

Code LCP2C1000X1500

Sheet 1000x2000 | thickness 2-3-4-5 mm

Pack: 3 pcs

Code LCP2C1000X2000

Sheet 2000x3000 | thickness 2-3-4-5 mm

Pack: 1 pcs

Code LCP2C2000X3000

Technical features:

linear thermal expansion: 0,065 mm/m °C

Temperature range: from - 40°C to +120 °C

U.V. Protection, fire reaction EuroClass Bs 1 d0.

Colors available on request: opal and bronze.

Use: roofing, windows, skylights, greenhouses, porches, gazebos, ceilings.

Installation: solid polycarbonate sheets can be installed in most PVC, wood, steel and aluminium structures and frames. The frame must hold the sheet in place while allowing it to expand.

Drilling and cutting: the sheets can be drilled by means of standard helical bits for metal. Holes have to be distant at least 40 mm from the panel's edges; the diameters of the hole must be larger than its anchoring system in order to allow the natural expansion of the material. Consider the thermal expansion when installing (0.065 mm/m °C). Use a saw with a blade specific for plastics or a circular saw with a cemented carbide blade.

Handling: Avoid exposure to direct sunlight and rain to prevent any excessive build-up of heat in the packaging.

Cleaning: we recommend the use of water and neutral detergent only. Do not use abrasive products.





Safe mirror

Unbreakable and reflective

Excellent optical, flexible and resistant properties

Safe mirror



Colors available: transparent

Drilling and cutting: sheets can be drilled using standard drilling machines. Drill a hole of 1.5 mm diameters. It will be larger than the diameter of the screw in order to consider the sheet expansion. Installing correctly the sheet to prevent any breaks. Remove the protective film after cutting only. Use a saw with a blade specific for plastics or a circular saw with a cemented carbide blade. Avoid exposure to direct sunlight and rain to prevent any excessive build-up of heat in the packaging.

Cleaning: we recommend to use water and neutral detergent only. Do not use abrasive products. Dry gently using a soft cloth. Do not use alcohol.

Use: dressers, walls, ceiling, pillars and floorings.



UNBREAKABLE

CHEAP

Sheet 500x500 mm – thickness 2 mm

Pack: 5 pcs

Code LMC2S500X500

Sheet 500x1000 mm – thickness 2 mm

Pack: 5 pcs

Code LMC2S500X1000

Sheet 1000x1000 mm – thickness 2 mm

Pack: 5 pcs

Code LMC2S1000X1000

Sheet 1000x1500 mm – thickness 2 mm

Pack: 5 pcs

Code LMC2S1000X1500

Sheet 1000x2000 mm – thickness 2 mm

Pack: 1 pcs

Code LMC2S1000x2000



Synthetic glass

High-resistant and luminous

Polystyrene solid sheets have excellent mechanical properties and high resistance to the thermal expansion due to heat, they are high shock resistant, easy to work and apply. Highly transparent and luminous, these products offer innovative solutions.



ANTI-REFLECTIVE GLASS
and cut to size
available
on request



CRYSTAL SAFE



custom-made

anti-reflective glass and cut to size available on request

RESISTANT

MULTIFUNCTIONAL

LUMINOUS

CHEAP

Synthetic glass

POLYSTYRENE SOLID SHEETS

Use: frames for pictures, poster, photos, screens, home improvement, interior glasses and shower boxes

Cutting: cut by a box cutter or hacksaw

Drilling: use bits for wood or iron

Bending: it can be bend by means of a heat gun

Fixing: use special glue or silicone

Easy to decorate. Recommended for interior environments.

Cleaning: we recommend to use water and neutral detergent only. Do not use abrasive products.

Meters rolls glass

Light, safe and flexible

Transparent multiuse film
Easy to shape for any application.



Meters roll GLASS

MULTIFUNCTIONAL

ULTRA-LIGHT

CHEAP

TRANSPARENT FILM WOUND ON A BOBBIN

Bobbin 100x1000 – thickness 0.25 – Pack: 1 pc
Code PVC025X1X100

Bobbin 50x1000 – thickness 0.75 – Pack: 1 pc
Code PVC075X1X50

Technical features: transparent, light, resistant at low temperatures, waterproof

Use: frames for pictures, poster, photos, home improvement.

Cleaning: we recommend the use of water and neutral detergent only. Do not use abrasive products.

Synthetic glass POLYSTYRENE SOLID SHEET



Custom-made

anti-reflective glass and cut to size available on request

LUMINOUS

CHEAP

RESISTANT


MULTIFUNCTIONAL

Code	Description	Measurements	mm	Thk. mm +/-	Min. Qty. pack
PLC500X250X2	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 250	2	5	
PLC500X500X2	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 500	2	5	
PLC500X1000X2	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1000	2	5	
PLC500X1250X2	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1250	2	5	
PLC500X1500X2	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1500	2	5	
PLC1000X1000X2	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 1000	2	5	
PLC1000X1500X2	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 1500	2	5	
PLC1000X2000X2	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 2000	2	5	
PLC500X250X2,5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 250	2,5	5	
PLC500X500X2,5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 500	2,5	5	
PLC500X1000X2,5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1000	2,5	5	
PLC500X1250X2,5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1250	2,5	5	
PLC500X1500X2,5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1500	2,5	5	
PLC1000X1000X2,5	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 1000	2,5	5	
PLC1000X1500X2,5	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 1500	2,5	5	
PLC1000X2000X2,5	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 2000	2,5	5	
PLC500X250X4	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 250	4	5	
PLC500X500X4	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 500	4	5	
PLC500X1000X4	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1000	4	5	
PLC500X1250X4	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1250	4	5	
PLC500X1500X4	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1500	4	5	
PLC1000X1000X4	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 1000	4	5	
PLC1000X1500X4	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 1500	4	5	
PLC1000X2000X4	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 2000	4	5	
PLC500X250X5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 250	5	5	
PLC500X500X5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 500	5	5	
PLC500X1000X5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1000	5	5	
PLC500X1250X5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1250	5	5	
PLC500X1500X5	SMOOTH CRYSTAL SYNTHETIC GLASS	500 x 1500	5	5	
PLC1000X1000X5	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 1000	5	5	
PLC1000X1500X5	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 1500	5	5	
PLC1000X2000X5	SMOOTH CRYSTAL SYNTHETIC GLASS	1000 x 2000	5	5	


Multiuse sheets

Self-extinguishing, colored and safe

The expanded PVC sheets are light, resistant, easy to cut and apply. Easy to shape, clean and screen printing. These products are weather resistant and self-extinguishing.



Billboards and dividers



Protection for your walls



MULTIFUNCTIONAL

custom-made

cut to size available on request

ULTRA-LIGHT

CHEAP

Multiuse sheets

EXPANDED PVC SHEET

Use: product can be used for creating dividers, coating, billboards, home improvement works, decorating panels

Colors available: white, black, red, yellow, green, blue, grey

Cleaning: we recommend to use water and neutral detergent only. Do not use abrasive products.



colors range for multiuse sheets



Code	Description	Measurements mm	Thk. mm +/-	Min.	Qty. pack
PVCB500X500	MULTIUSE WHITE SHEET	500 X 500	3		4
PVCB500X1000	MULTIUSE WHITE SHEET	500 X 1000	3		2
PVCB500X1500	MULTIUSE WHITE SHEET	500 X 1500	3		2
PVCB1000X1000	MULTIUSE WHITE SHEET	1000 X 1000	3		2
PVCB1000X1500	MULTIUSE WHITE SHEET	1000 X 1500	3		2
PVCB1000X2000	MULTIUSE WHITE SHEET	1000 X 2000	3		1
PVCG500X500	MULTIUSE YELLOW SHEET	500 X 500	3		4
PVCG500X1000	MULTIUSE YELLOW SHEET	500 X 1000	3		2
PVCG500X1500	MULTIUSE YELLOW SHEET	500 X 1500	3		2
PVCG1000X1000	MULTIUSE YELLOW SHEET	1000 X 1000	3		2
PVCG1000X1500	MULTIUSE YELLOW SHEET	1000 X 1500	3		2
PVCG1000X2000	MULTIUSE YELLOW SHEET	1000 X 2000	3		1
PVCR500X500	MULTIUSE RED SHEET	500 X 500	3		4
PVCR500X1000	MULTIUSE RED SHEET	500 X 1000	3		2
PVCR500X1500	MULTIUSE RED SHEET	500 X 1500	3		2
PVCR1000X1000	MULTIUSE RED SHEET	1000 X 1000	3		2
PVCR1000X1500	MULTIUSE RED SHEET	1000 X 1500	3		2
PVCR1000X2000	MULTIUSE RED SHEET	1000 X 2000	3		1
PVCV500X500	MULTIUSE GREEN SHEET	500 X 500	3		4
PVCV500X1000	MULTIUSE GREEN SHEET	500 X 1000	3		2
PVCV500X1500	MULTIUSE GREEN SHEET	500 X 1500	3		2
PVCV1000X1000	MULTIUSE GREEN SHEET	1000 X 1000	3		2
PVCV1000X1500	MULTIUSE GREEN SHEET	1000 X 1500	3		2
PVCV1000X2000	MULTIUSE GREEN SHEET	1000 X 2000	3		1
PVCBL500X500	MULTIUSE BLUE SHEET	500 X 500	3		4
PVCBL500X1000	MULTIUSE BLUE SHEET	500 X 1000	3		2
PVCBL500X1500	MULTIUSE BLUE SHEET	500 X 1500	3		2
PVCBL1000X1000	MULTIUSE BLUE SHEET	1000 X 1000	3		2
PVCBL1000X1500	MULTIUSE BLUE SHEET	1000 X 1500	3		2
PVCBL1000X2000	MULTIUSE BLUE SHEET	1000 X 2000	3		1
PVCGR500X500	MULTIUSE GREY SHEET	500 X 500	3		4
PVCGR500X1000	MULTIUSE GREY SHEET	500 X 1000	3		2
PVCGR500X1500	MULTIUSE GREY SHEET	500 X 1500	3		2
PVCGR1000X1000	MULTIUSE GREY SHEET	1000 X 1000	3		2
PVCGR1000X1500	MULTIUSE GREY SHEET	1000 X 1500	3		2
PVCGR1000X2000	MULTIUSE GREY SHEET	1000 X 2000	3		1
PVCN500X500	MULTIUSE BLACK SHEET	500 X 500	3		4
PVCN500X1000	MULTIUSE BLACK SHEET	500 X 1000	3		2
PVCN500X1500	MULTIUSE BLACK SHEET	500 X 1500	3		2
PVCN1000X1000	MULTIUSE BLACK SHEET	1000 X 1000	3		2
PVCN1000X1500	MULTIUSE BLACK SHEET	1000 X 1500	3		2
PVCN1000X2000	MULTIUSE BLACK SHEET	1000 X 2000	3		1

Multiuse polypropylene sheet

Light, economical and resistant

Alveolar polypropylene sheets are light, easy to shape, cheap and durable.



MULTIFUNCTIONAL

ULTRA-LIGHT

CHEAP

Multiuse sheet



ALVEOLAR POLYPROPYLENE SHEET

Alveolar polypropylene sheets are light, easy to shape, economical and long lasting.

Use: ideal for dividers, coating, wall protection, insulating panels, home improvement works.

Drilling and cutting: panels can be drilled, bended and cut by box cutter or scissors.

Code	Description	Measurements mm	Thk. mm +/-	Min. Qty. pack
PAB500X500	MULTIUSE POLYPROPYLENE WHITE SHEET	500 x 500	2,5	5
PAB500X1000	MULTIUSE POLYPROPYLENE WHITE SHEET	500 x 1000	2,5	5
PAB500X1500	MULTIUSE POLYPROPYLENE WHITE SHEET	500 x 1500	2,5	5
PAB1000X1000	MULTIUSE POLYPROPYLENE WHITE SHEET	1000 x 1000	2,5	5
PAB1000X1500	MULTIUSE POLYPROPYLENE WHITE SHEET	1000 x 1500	2,5	5
PAB1000X2000	MULTIUSE POLYPROPYLENE WHITE SHEET	1000 x 2000	2,5	5
PAN500X500	MULTIUSE POLYPROPYLENE BLACK SHEET	500 x 500	2,5	5
PAN500X1000	MULTIUSE POLYPROPYLENE BLACK SHEET	500 x 1000	2,5	5
PAN500X1500	MULTIUSE POLYPROPYLENE BLACK SHEET	500 x 1500	2,5	5
PAN1000X1000	MULTIUSE POLYPROPYLENE BLACK SHEET	1000 x 1000	2,5	5
PAN1000X1500	MULTIUSE POLYPROPYLENE BLACK SHEET	1000 x 1500	2,5	5
PAN1000X2000	MULTIUSE POLYPROPYLENE BLACK SHEET	1000 x 2000	2,5	5
PANE500X500	MULTIUSE POLYPROPYLENE NATURAL SHEET	500 x 500	2,5	5
PANE500X1000	MULTIUSE POLYPROPYLENE NATURAL SHEET	500 x 1000	2,5	5
PANE500X1500	MULTIUSE POLYPROPYLENE NATURAL SHEET	500 x 1500	2,5	5
PANE1000X1000	MULTIUSE POLYPROPYLENE NATURAL SHEET	1000 x 1000	2,5	5
PANE1000X1500	MULTIUSE POLYPROPYLENE NATURAL SHEET	1000 x 1500	2,5	5
PANE1000X2000	MULTIUSE POLYPROPYLENE NATURAL SHEET	1000 x 2000	2,5	5
PAG500X500	MULTIUSE POLYPROPYLENE YELLOW SHEET	500 x 500	2,5	5
PAG500X1000	MULTIUSE POLYPROPYLENE YELLOW SHEET	500 x 1000	2,5	5
PAG500X1500	MULTIUSE POLYPROPYLENE YELLOW SHEET	500 x 1500	2,5	5
PAG1000X1000	MULTIUSE POLYPROPYLENE YELLOW SHEET	1000 x 1000	2,5	5
PAG1000X1500	MULTIUSE POLYPROPYLENE YELLOW SHEET	1000 x 1500	2,5	5
PAG1000X2000	MULTIUSE POLYPROPYLENE YELLOW SHEET	1000 x 2000	2,5	5
PAV500X500	MULTIUSE POLYPROPYLENE GREEN SHEET	500 x 500	2,5	5
PAV500X1000	MULTIUSE POLYPROPYLENE GREEN SHEET	500 x 1000	2,5	5
PAV500X1500	MULTIUSE POLYPROPYLENE GREEN SHEET	500 x 1500	2,5	5
PAV1000X1000	MULTIUSE POLYPROPYLENE GREEN SHEET	1000 x 1000	2,5	5
PAV1000X1500	MULTIUSE POLYPROPYLENE GREEN SHEET	1000 x 1500	2,5	5
PAV1000X2000	MULTIUSE POLYPROPYLENE GREEN SHEET	1000 x 2000	2,5	5
PABL500X500	MULTIUSE POLYPROPYLENE BLUE SHEET	500 x 500	2,5	5
PABL500X1000	MULTIUSE POLYPROPYLENE BLUE SHEET	500 x 1000	2,5	5
PABL500X1500	MULTIUSE POLYPROPYLENE BLUE SHEET	500 x 1500	2,5	5
PABL1000X1000	MULTIUSE POLYPROPYLENE BLUE SHEET	1000 x 1000	2,5	5
PABL1000X1500	MULTIUSE POLYPROPYLENE BLUE SHEET	1000 x 1500	2,5	5
PABL1000X2000	MULTIUSE POLYPROPYLENE BLUE SHEET	1000 x 2000	2,5	5
PAGR500X500	MULTIUSE POLYPROPYLENE GREY SHEET	500 x 500	2,5	5
PAGR500X1000	MULTIUSE POLYPROPYLENE GREY SHEET	500 x 1000	2,5	5
PAGR500X1500	MULTIUSE POLYPROPYLENE GREY SHEET	500 x 1500	2,5	5
PAGR1000X1000	MULTIUSE POLYPROPYLENE GREY SHEET	1000 x 1000	2,5	5
PAGR1000X1500	MULTIUSE POLYPROPYLENE GREY SHEET	1000 x 1500	2,5	5
PAGR1000X2000	MULTIUSE POLYPROPYLENE GREY SHEET	1000 x 2000	2,5	5
PAR500X500	MULTIUSE POLYPROPYLENE RED SHEET	500 x 500	2,5	5
PAR500X1000	MULTIUSE POLYPROPYLENE RED SHEET	500 x 1000	2,5	5
PAR500X1500	MULTIUSE POLYPROPYLENE RED SHEET	500 x 1500	2,5	5
PAR1000X1000	MULTIUSE POLYPROPYLENE RED SHEET	1000 x 1000	2,5	5
PAR1000X1500	MULTIUSE POLYPROPYLENE RED SHEET	1000 x 1500	2,5	5
PAR1000X2000	MULTIUSE POLYPROPYLENE RED SHEET	1000 x 2000	2,5	5





Safety

Safety barriers for thermal protection



customizable

MADE-TO-MEASURE

SHOCKPROOF



tube-shaped radiator cover



SAFETY BARRIERS FOR THERMAL PROTECTION

Radiator Covers are available in four models:

Tube-shaped CTT

Tube-shaped standard series CTTB

Tube-shaped reinforced series CTTTR

Playground activity panels for radiator cover (CTG) (Trafil patent)

The tube-shaped structure is manufactured in non-toxic, acrovynil and fireproof PVC, Class 1. External supporting structure has a diameters of 50 mm and thickness of 2 mm. Internal tube-shaped structure with 32 mm diameters and thickness 2 mm. Playground activity panel in expanded PVC, thickness of 3 mm. The quality of the materials guarantees safety and stability. The distance between the vertical tubes complies with the international standard UNI 108090 to guarantee the impossibility to pass through the barrier. The hot air distribution is assured by an open structure in both tube-shaped and playground activity panel version.

Use: protection for kids in the event of accidental impacts, we recommend the use in schools, kindergartens, playgrounds, baby parking and game rooms.

Installation: modular structure according to measurements required, brackets childproof, interlocking connectors of the same color of the structure.

External supporting structure: tube of Ø 50 mm blue and white.

Internal tube-shaped structure: tube of Ø 32 mm red, blue, yellow, green and white.

Playground activity panel for radiator cover: white (toys are not included), white, blue and red connectors.

Cleaning: clean with water and neutral detergent.



FITTINGS COLORS



COLORS TUBES EXTERNAL STRUCTURE



COLORS TUBES INTERNAL STRUCTURE



Included Accessories:



Cod.CTT



Cod.CTTR



Cod.CTTB





SHOCKPROOF

MADE-TO-MEASURE

customizable

playground activity panel for radiator cover


Cod.: CTG



Ideal for kindergartens and primary schools


Accessories on demand:

Accessories included



+2 age

Safety barriers



various **protections**



■ **Cod.** : CTT



FITTINGS COLORS



COLORS TUBES EXTERNAL STRUCTURE



COLORS TUBES INTERNAL STRUCTURE



finger alert

Q Maximum opening
of the door:
110° and 180°



FINGER ALERT

Finger pinch protection

Length: 1.2 / 1.5 / 1.8 meters

Maximum opening of the door: 110° and 180°

Use: protection to prevent accidental fingers injuries. The finger alert fills the space between the door and the doorframe.


Suggested applications: kinder-gardens, schools, playgrounds, baby-parking, domestic environment.

Code: AV110-120

AV110-150

AV110-180

Code: AV180-180



Protection profiles



MADE IN ITALY




shock resistant **corner cover**

VERSATILE

FLEXIBLE

SHOCK-RESISTANT



SHOCK RESISTANT CORNER COVER

Flexible PVC wall protection corner cover
35x35 mm

Thickness 3 mm - 2 meters bars

Pack: 50 meters

Use: tube and rounded angle are effective corner protections

Recommended applications: schools, kindergartens, hospitals, public places and wherever it is necessary to prevent work injuries

Code M12



Semitransparent PVC
Code Terminal M12T



shock resistant **corner cover**

VERSATILE

FLEXIBLE


SHOCK-RESISTANT

SHOCK RESISTANT CORNER COVER
Flexible PVC wall protection corner cover
25x25 mm - Thickness 1 mm - 1 meters bars
Pack: 10 meters

Use: tube and rounded angle are effective corner protections

Recommended applications: schools, kindergartens, hospitals, public places and wherever it is necessary to prevent work injuries

Code AV02



SHOCK-RESISTANT

DESIGN

shock resistant **corner cover**

Corner cover
70x70 mm | 1 meter bar
Pack: 1 meter

Use: corner guard and design

Suggested applications: schools, kinder-gardens, public and domestic environment and wherever it is requested a safe protection.

Code AV01 MATITA



Colors: AV01 MATITA

Measures: 1000x70x70 mm

Flexible PVC wall protection

protection profile



Wall protection rolls easy to transport

Flexible **wall protection** height 100



100 MM

100

3



FLEXIBLE

VERSATILE

WALL PROTECTION 100

Flexible PVC Wall protection 100 mm

Height 100 mm | thickness 3 mm

40 meters rolls and 10 meters rolls

Pack: 80 meters | 20 meters

Use: protection against bumps of chairs, tables, stretchers, shoes

Recommended applications: food industry, hospitals, schools, laboratories, etc.

Code M14, M14-10




M14-10

M14



Flexible **wall protection** height 200



200 MM

200

3.5



FLEXIBLE

VERSATILE

WALL PROTECTION 200

Flexible PVC Wall protection 200 mm

Height 200 mm | thickness 3.5 mm

20 meters rolls

Use: protection against bumps of chairs, tables, stretchers, shoes

Recommended applications: food industry, hospitals, schools, laboratories, etc.

Code M38



20 m






PVC wall protection

Protection Profile






SHOCKPROOF

standard wall protection



FURNISHING DESIGN



wall protection **with led**

 customizable

Wall protection guide:
internal led available on request

Terminal

Joint

WALL PROTECTION

Height 130 mm | length 2000 mm | width 13 mm | Pack: 30 meters. Wall protections are made in PVC: PVC is self-extinguishing, shockproof, environmentally-friendly and recyclable.

Application: Fix the special support profile (supplied with the assembly kit) with screws and screws anchors, then apply pressure to install the wall protection. It is possible to put electric or telephone wires inside the profile using its specific separate internal spaces. Connecting joints and terminals are available. The number of terminals and joints depends on the number of wall protection being used.

Use: PVC wall protections are particularly suitable to use in homes, offices, waiting rooms, rest homes, hospitals, schools, supermarkets, workshops and wherever walls are particularly exposed to possible damage. PVC is class V0 fireproof. Special colors are available on request

Code 1C1

Code 1C3 – TERMINAL

Code 1C4 – JOINT

KIT LED: 1 Aluminium "U" profile, 1 strip led, 1 power supply.



Protection profiles

shockproof

standard colors



The colors are mixed within the raw materials.
Cadmium and heavy metals free.

Features:

- Acrovynyl profiles with tin shockproof
- Fine embossing materials
- "V0" nylon terminals, non-halogen non-carcinogenic
- No bacterial growth
- Class 1 fire-safe
- Support profile in extruded aluminium



SURCHARGE

Extra charge will be applied for red, dark green and aluminium colors

SPECIAL COLORS

Minimum order for acrylic-vinyl profile is 1000 meters

Slight color variation can occur between acrylic-vinyl profile and "V0" nylon elements DUG different materials and processing.

Used materials meet European directive 2002/95/CE January 27, 2003, aligned with RoHS standard for plastic materials (unleaded and without heavy metals). The materials comply with EU rules and with RoHs Rule about plastics.

modular Handrail



MODULAR HANDRAIL

Aluminium handrail Ø 35 mm
Acrylic-vinyl covering 6 meters bars

Code M-35MS

"V0" nylon brackets

Code M-35TM

"V0" nylon terminals

Code M-35AG

"V0" nylon 90° corners

Code M-35AS

"V0" nylon 150° corners

Code M-35INN

"V0" nylon insert

Code M-35L

Supplied with application kit




CORNER BUMPER 30X30
Thickness 2 mm | 6 meters bars
Code S30-E

CORNER BUMPER 50X50
Thickness 2 mm | 6 meters bars
Code S50-E

CORNER BUMPER 70X70
Thickness 2.5 mm | 6 meters bars
Code S70-E


CORNER BUMPER 100X100
Thickness 2 mm | 3 meters bars
Product available on request: minimum order of 18 meters
Code S100-E

CORNER BUMPER 150X150
Thickness 2 mm | 3 meters bars
Product available on request: minimum order of 12 meters
Code S150-E



SHOCK-ABSORBING CORNERS 57X57
Aluminium supporter
Profile with acrylic-vinyl covering
Thickness 3 mm | 6 meters bars
Code S-57
Support profile with nylon "v0"
self-centring of corners & terminals
Code S-57TM

SHOCK-ABSORBING CORNERS 77X77
Aluminium supporter
Profile with acrylic-vinyl covering
Thickness 3 mm | 6 meters bars
Code S-77
Support profile with nylon "v0"
self-centring of corners & terminals
Code S-77TM




MODULAR HANDRAIL
Aluminium handrail Ø 40 mm
Acrylic-vinyl covering 1 meters bars
Code M-40L
"V0" nylon brackets
Code M-40MS
"V0" nylon (90°-150°) corners
Code M-40AG
"V0" nylon (90°-150°) terminals
Code M-40TM
Supplied with application kit



SHOCKPROOF

corner bumper




APPLICATION:

application with water-based or silicone glue



SHOCKPROOF

shock-absorbing corners



APPLICATION:

application with supplied screws





modular Handrail



Protection profiles

shockproof

buffer handrail



BUFFER HANDRAIL

Aluminium support profile
Acrylic-vinyl covering
140 mm | thickness 3mm | 5 meters bars

Code M-140CC

Brackets fixing

Code M-140MS

Nylon "V0" self-centring corners

Code M-140AG

Nylon "V0" self-centring terminals

Code M-140TM

Supplied with application kit



shock-absorbing **buffer**



SHOCK-ABSORBING BUFFER

Aluminium support profile
Acrylic-vinyl covering | 5 meters bars

Code P-200A

Galvanized steel bracket

Code P-200MS



Nylon "V0" self-centring of terminals

Code P-200TM

Nylon "V0" self-centring of corners

Code P-200AG

Supplied with application kit





bumper **strip**



BUMPER STRIP
 bumper strip thickness 2 mm | 3 meters bars
 Height mm:
 100/150/200/250/300/430/650/1000/1300
 Code **SERIE F2**







Custom-made production

Custom-made production

We design and produce expanded PVC and thermoplastic rubber profiles as for our client specifications and according to the requested in RAL colors, measurements and customized packagings. We made ABS, polypropylene, polystyrene, polyethylene, PVC items taking care the design to the creation of the mould, to the assembly and packaging.

Box shaped panel of solid PVC



Flexible PVC strip for curtains



ABS joints



Anti-dust flexible PVC profile

Injection-molded nylon slider

Rigid PVC profile, perforated and self-adhesive

Rigid crystal PVC profile

U-profile for package

Corner profile for ceiling







Sales optimization

Display units

Sales Optimizations

The new display units support the purchases. Ordered and well-exposed products optimize space and communicate actively. The display dispensers organize the variety and the availability of the products, facilitating the concept of cash and carry.

Mini display unit for skirting board (wood-marble-aluminium-stone) and PVC corner covers

The display unit has the following measurements:
h. 302 X w. 70 X d. 50 cm

Code Esp02



▲ **Display unit for skirting boards and PVC corner covers**

The display unit has the following measurements:
h. 310 X w. 124 X d. 49 cm

Code Esp01



Mini display unit for PVC standard skirting boards and corner cover

The display unit has the following
measurements: h. 302 X w. 70 X d. 50 cm
Code Esp03



Display unit for Multisystem

The display unit has the following
measurements: h 250 X w. 124 X d. 49 cm
Code Esp04



To the shop

Display units for profiles

Display units are made according to customer specifications.

Display unit profiles for ceramics

The display unit has the following measurements:
h. 272 X w. 53 X d. 40 cm
Code Esp06

Display unit for flexible PVC skirting boards, wall protections, joints and step protections

The display unit has the following measurements:
h 160 X w. 65 X d. 52 cm
Code Esp05



Display units for sheets

Display unit for roofing

The display unit has the following measurements: h. 253 X w. 95 X d. 50 cm
Code Esp07



Display unit for polycarbonate items

The display unit has the following measurements: h. 240 X w. 103 X d. 105 cm
Code Esp08



Display unit for multiwall polycarbonate sheets, synthetic glass, safe mirror and multiuse sheets

The display unit has the following measurements:
h. 240 X w. 159 X d. 105 cm
Code Esp10



▲ Display unit for multiuse sheets

The display unit has the following measurements: h. 200 X w. 50 X d. 50 cm
Code Esp09



To the shop

Display units for sheets

Display units are made according to customer specifications.

Display unit for synthetic glass

- ▼ The display unit has the following measurements:
h. 200 x w. 50 x d. 50 cm
Code ESP11



Display unit for polystyrene crystal wall guard 800x80 mm

- Wall guards are packed separately with bar code and assembly kit included.
The display unit has the following measurements:
h. 160 x w. 34 x d. 42 cm
Code ESP12



Display unit for meters roll glass

- ▼ Transparent multiuse film.
Easy to shape for any application
The display unit has the following measurements:
h. 166 x w. 80 x d. 50 cm
Code ESP13



To the shop

Display units for profiles

Display units are made according to customer specifications.

Display unit for flexible PVC shock resistant corner cover 35x35 mm

- ◀ The display unit has the following measurements:
h. 200 x w. 77 x d. 40 cm
Code ESP14

Trafil suitcase

- ▼ A wide selection of ready samples.
Code VAL





Trafil® SINCE 1992
PLASTICS AT THEIR BEST

Via Peschiere, 52 - 10040
Osasio (TO) ITALY
T. (39) 011.97.93.103
F. (39) 011.97.28.605
info@trafil.it

trafil.it